

KERU - INPUT LIST


CHANNEL	ASSIGNMENT	TYPE	Dynamic, type mic	group
1	KICK 1	mic	D6, B52, e901	1-2
2	SNARE TOP	mic	SM57, I5	
3	SNARE BOTTOM	mic	SM57, I5	
4	HI-HAT	Cond. Mic	e914, SM94, F15	
5	TOM 1	mic	e908 (podobné)	
6	TOM 2	mic	e908 (podobné)	
7	TOM 3	mic	e908 (podobné)	
8	FLOOR TOM	mic	e908 (podobné)	
9	OVERHEADL	Cond. Mic	e914, SM94, F15	
10	OVERHEAD R	Cond. Mic	e914, SM94, F15	
11	BASS GUITAR	Line XLR.	Comp.	
12	BASS GUITAR	mic	AKG 112, Beta 52, AUDIX D6	
13	GUITAR BOX 1L (Tony)	mic (alt.XLR)	SM57, e906,15	3-4
14	GUITAR BOX 2L (Tony)	mic (alt.XLR)	SM57, e906,15	
15	GUITAR BOX IR	mic	SM57, e906,15	
16	GUITAR BOX 2R	mic	SM57, e906,15	
17	Acoustic Guitar	DI box		
18	HD1	XLR		5-6
19	HD2	XLR		
20	HD3	XLR		
21	HD4	XLR		
22	BACK VOCAL	mic	Comp. SM 58	7-8
23	LEAD VOCAL	vlastni	Port – Comp.	
24	BACK VOCAL	mic	Comp. SM 58	

KERN

STAGE PLOT

230 V

Guitar system
2x mic
(alt. 2x XLR)



TONY
Guitar
back vocal



M 1

MICHAL
Lead vocal
acoustic guitar



M 2

DI box
ac. guitar

230 V

M 2

ROMAN
Bass guitar
back vocal



230 V

M 3

SLÁVEK
Guitar



Technické požadavky skupiny KERN

- Poznámka:** požadované mikrofony výrobců: Audix, AKG, Shure, Sennheiser, Neumann, Beyerdynamic (typy mikrofonů na daný nástroj)
NE!: behringer, sekaku, jts apod...
DI BOX: ideál BSS AR-133
- P. A. Svstem:** L- Acoustics, Nexo, JBL, Adamson, Martin Audio, Meyer sound, EAW, EV, ...
Min 115dB, v místě zvukaře (**pomyslný trojúhelník s P.A. systémem**)
NE! na a pod balkonem, roh ozvučovaného prostoru a podobně!
- Monitory:** značkové – kvalitní, 4 cesty, min. 6ks
- Mixpult:** min. 32/8/2, 4pásmový EQ s přeladitelnými středy, HPF...
preferujeme: Midas, Soundcraft, Allen&Heath, DiGiCo, Digidesign, InnovaSON ...
- Hlavní EQ:** 2x31 pásem, Klark Teknik, BSS ...
- Monitor EQ:** 4x min. 15 pásem, ideál monitorový mixpult se zvukařem na podiu
- Procesory:** (BSS, DBX, TLAudio, Drawmer, LA ...)
- FX:** Lexicon, T.C. Electronic, Yamaha ... (ideál....PCM 91, D-TWO, 990)

Skupina KERN si veškeré pódiové vybavení vozí své, doba přestavby podia: 25 minut.

TECHNICKÝ KONTAKT NA SKUPINU KERN:

Karel Vodička
Tel: +420 605 430 023
E-mail: mastervolume@seznam.cz

UPOZORNĚNÍ PRO POŘADATELE!!!!

Technický kontakt předejte prosím osobě, která má na starosti technické zabezpečení vystoupení skupiny **KERN**.

Nutné potvrzení (případná konzultace) splnění technických požadavků na ozvučení vystoupení skupiny KERN!!!